ELSEVIER

Brain Research 767 (1997) 397–399

BRAIN RESEARCH

Author Index

Abekawa, T., Ohmori, T. and Koyama, T.
Tolerance to the neurotoxic effect of methamphetamine in rats behaviorally sensitized to methamphetamine or amphetamine (767) 34
Ackley, M.A., see King, A.E. (767) 55
Alcayaga, J., Iturriaga, R., Ramirez, J., Readi, R., Quezada, C. and Salinas, P.
Cat carotid body chemosensory responses to non-hypoxic stimuli are inhibited by sodium nitroprusside in situ and in vitro (767) 384
Anselmo-Franci, J.A., Franci, C.R., Krulich, L., Antunes-Rodrigues, J. and McCann, S.M.
Locus coeruleus lesions decrease norepinephrine input into the medial preoptic area and medial basal hypothalamus and block the LH, FSH and prolactin preovulatory surge (767) 289
Antonini, A., see Psylla, M. (767) 45
Antunes-Rodrigues, J., see Anselmo-Franci, J.A. (767) 289
Arimura, A., see Kozicz, T. (767) 109
Armao, D., Kornfeld, M., Estrada, E.Y., Grossetete, M. and Rosenberg, G.A.
Neutral proteases and disruption of the blood–brain barrier in rat (767) 259
Asaba, K., see Takemura, T. (767) 181

Baba, H., see Endoh, H. (767) 136
Bai, G., see Fujiwara, K. (767) 166
Baron, J.-C., see Touzani, O. (767) 17
Basta, D., Tzschentke, B. and Nichelmann, M.
Temperature guardian neurons in the preoptic area of the hypothalamus (767) 361
Beasley, J., see Tagliente, T.M. (767) 393
Beck, H., see Dietrich, D. (767) 220
Blessing, W.W., see Yu, Y.-H. (767) 1
Bodnar, R.J., see Ragnauth, A. (767) 8
Bonvento, G., Borredon, J., Seylaz, J. and Lacombe, P.
Cerebrovascular consequences of altering serotonergic transmission in conscious rat (767) 208
Borredon, J., see Bonvento, G. (767) 208

Cassetta, E., see Tecchio, F. (767) 100
Castellano, B., see Vela, J.M. (767) 345
Choi, S.R., see Suh, H.W. (767) 144
Clusmann, H., see Dietrich, D. (767) 220
Collins, D.R. and Davies, S.N.
Melatonin blocks the induction of long-term potentiation in an *N*-methyl-D-aspartate independent manner (767) 162
Connell, B.J., see Saleh, T.M. (767) 201
Craddock Royal, B., see Tagliente, T.M. (767) 393
Crews, F.T., see McCown, T.J. (767) 370
Curran, G.L., see Wengenack, T.M. (767) 128

Davies, S.N., see Collins, D.R. (767) 162
De Jeu, M.T.G. and Pennartz, C.M.A.
Functional characterization of the H-current in SCN neurons in subjective day and night: a whole-cell patch-clamp study in acutely prepared brain slices (767) 72
De Nicola, A.F., see Grillo, C. (767) 120
Derlon, J.-M., see Touzani, O. (767) 17
Dietrich, D., Beck, H., Kral, T., Clusmann, H., Elger, C.E. and Schramm, J.
Metabotropic glutamate receptors modulate synaptic transmission in the perforant path: pharmacology and localization of two distinct receptors (767) 220
Dluzen, D.
Estrogen decreases corpus striatal neurotoxicity in response to 6-hydroxydopamine (767) 340
Dreyfus, H., see Heidinger, V. (767) 279

Elger, C.E., see Dietrich, D. (767) 220
Endoh, H., Kumagai, Y., Baba, H., Yamakura, T., Taga, K., Sato, K., Fukuda, S. and Shimoji, K.
Prior brain injury protects death from local anaesthetic-induced convulsion (767) 136
Estrada, E.Y., see Armao, D. (767) 259

Finlay, J.M., see King, D. (767) 192
Franci, C.R., see Anselmo-Franci, J.A. (767) 289
Fujiwara, K., Bai, G. and Kitagawa, T.
Polyamine-like immunoreactivity in rat neurons (767) 166
Fukuda, S., see Endoh, H. (767) 136
Fukuda, T., see Nomoto, M. (767) 235
Fukuoka, T., Miki, K., Yoshiya, I. and Noguchi, K.
Expression of β-calcitonin gene-related peptide in axotomized rubrospinal neurons and the effect of brain derived neurotrophic factor (767) 250

Garraway, S.M., see Hochman, S. (767) 214
Gašić, J.M., see Redžić, Z.B. (767) 26
González, B., see Vela, J.M. (767) 345
Gootman, P.M., see Sica, A.L. (767) 380
Grillo, C., Piroli, G., Lima, A., McEwen, B.S. and De Nicola, A.F.
Aldosterone up-regulates mRNA for the $\alpha 3$ and $\beta 1$ isoforms of (Na,K)-ATPase in several brain regions from adrenalectomized rats (767) 120
Grossetete, M., see Armao, D. (767) 259
Gruenstein, E.I., see Wang, X.-s. (767) 239
Günther, I., see Psylla, M. (767) 45
Guyette, F.X., see Uzwiak, A.J. (767) 363
Guzmán, M., see Sánchez, C. (767) 64

Hakamata, Y., see Hanyu, S. (767) 154
Hamada, N., see Yoshida, M. (767) 356
Hamamura, T. and Ichimaru, Y.
Amphetamine sensitization augments amphetamine-induced Fos expression in the lateral habenula (767) 140
Hampson, E., see Moffat, S.D. (767) 297
Hanyu, S., Ito, U., Hakamata, Y. and Nakano, I.
Topographical analysis of cortical neuronal loss associated with disseminated selective neuronal necrosis and infarction after repeated ischemia (767) 154
Hashimoto, K., see Takemura, T. (767) 181
Hatakeyama, J., see Yoshida, M. (767) 356
Hattori, N., see Yoshino, H. (767) 81
Heidinger, V., Hicks, D., Sahel, J. and Dreyfus, H.
Peptide growth factors but not ganglioside protect against excitotoxicity in rat retinal neurons in vitro (767) 279
Hicks, D., see Heidinger, V. (767) 279
Hidalgo, J., see Vela, J.M. (767) 345
Hochman, S., Garraway, S.M. and Pockett, S.
Membrane properties of deep dorsal horn neurons from neonatal rat spinal cord in vitro (767) 214
Hori, T., see Oka, K. (767) 92
Hu, X.-J. and Ticku, M.K.
Functional characterization of a kindling-like model of ethanol withdrawal in cortical cultured neurons after chronic intermittent ethanol exposure (767) 228
Huh, S.O., see Suh, H.W. (767) 144
Hulihan, T.J., see Wang, Z. (767) 321
Hundley, B.W., see Sica, A.L. (767) 380
Hunter, A.L., see Summers, T.R. (767) 272

Ichimaru, Y., see Hamamura, T. (767) 140
Insel, T.R., see Wang, Z. (767) 321
Ishikawa, M., see Yoshida, M. (767) 356
Ito, U., see Hanyu, S. (767) 154
Itoh, M., Watanabe, Y., Watanabe, M., Tanaka, K., Wada, K. and Takashima, S.
Expression of a glutamate transporter sub-

type, EAAT4, in the developing human cerebellum (767) 265
Iturriaga, R., see Alcayaga, J. (767) 384
Iwata, S.-I., see Nomoto, M. (767) 235

Jain, N., see Preuss, T.M. (767) 148
Jenkins, S.M. and Johnson, G.V.W.
Phosphorylation of microtubule-associated protein tau on Ser 262 by an embryonic 100 kDa protein kinase (767) 305
Johnson, G.V.W., see Jenkins, S.M. (767) 305

Kaas, J.H., see Preuss, T.M. (767) 148
Kaseda, S., see Nomoto, M. (767) 235
Kim, Y.H., see Suh, H.W. (767) 144
King, A.E., Ackley, M.A. and Slack, J.R.
Profile of neuronal excitation following selective activation of the neurokinin-1 receptor in rat deep dorsal horn in vitro (767) 55
King, D. and Finlay, J.M.
Loss of dopamine terminals in the medial prefrontal cortex increased the ratio of DOPAC to DA in tissue of the nucleus accumbens shell: role of stress (767) 192
Kitagawa, T., see Fujiwara, K. (767) 166
Knapp, D.J., see McCown, T.J. (767) 370
Kornfeld, M., see Armao, D. (767) 259
Koyama, T., see Abekawa, T. (767) 34
Kozicz, T., Vigh, S. and Arimura, A.
Axon terminals containing PACAP- and VIP-immunoreactivity form synapses with CRF-immunoreactive neurons in the dorsolateral division of the bed nucleus of the stria terminalis in the rat (767) 109
Kral, T., see Dietrich, D. (767) 220
Krulich, L., see Anselmo-Franci, J.A. (767) 289
Kumagai, Y., see Endoh, H. (767) 136
Kusmirek, J., Owens, C.A. and Mason, P.
Lumbar but not cervical intrathecal DAMGO suppresses extrasegmental nociception in awake rats (767) 375

Lacombe, P., see Bonvento, G. (767) 208
Lee, D.H., see Moffat, S.D. (767) 297
Leenders, K.L., see Psylla, M. (767) 45
Li, C. and McDonald, T.J.
Source of corticotropin-releasing hormone-like innervation of the adrenal glands of fetal and postnatal sheep (767) 87
Lima, A., see Grillo, C. (767) 120
Lo, F.-S. and Zhu, J.J.
Lack of visual suppression in the rabbit lateral geniculate nucleus during blink reflex (767) 176

Maayani, S., see Tagliente, T.M. (767) 393
MacKenzie, E.T., see Touzani, O. (767) 17
Makino, S., see Takemura, T. (767) 181
Marković, I.D., see Redžić, Z.B. (767) 26
Mason, P., see Kusmirek, J. (767) 375
McCann, S.M., see Anselmo-Franci, J.A. (767) 289
McCann, U., see Yuan, J. (767) 172
McCown, T.J., Knapp, D.J. and Crews, F.T.
Inferior collicular seizure generalization produces site-selective cortical induction of cyclooxygenase 2 (COX-2) (767) 370
McDonald, T.J., see Li, C. (767) 87
McEwen, B.S., see Grillo, C. (767) 120
Miki, K., see Fukuoka, T. (767) 250
Mizuno, Y., see Yoshino, H. (767) 81
Moffat, S.D., Hampson, E., Wickett, J.C., Vernon, P.A. and Lee, D.H.
Testosterone is correlated with regional morphology of the human corpus callosum (767) 297

Nagatsu, I., see Yoshida, M. (767) 356
Nakagawa, S., see Nomoto, M. (767) 235
Nakahara, K., see Yoshida, M. (767) 356
Nakano, I., see Hanyu, S. (767) 154
Nichelmann, M., see Basta, D. (767) 361
Noguchi, K., see Fukuoka, T. (767) 250
Nomoto, M., Iwata, S.-I., Kaseda, S., Fukuda, T. and Nakagawa, S.
Increased dopamine turnover in the putamen after MPTP treatment in common marmosets (767) 235
Nordstrom, M.A., see Semmler, J.G. (767) 314

Ohmori, T., see Abekawa, T. (767) 34
Ohtsubo, T., see Saito, T. (767) 388
Oka, K., Oka, T. and Hori, T.
Prostaglandin E_2 may induce hyperthermia through EP_1 receptor in the anterior wall of the third ventricle and neighboring preoptic regions (767) 92
Oka, T., see Oka, K. (767) 92
Olson, E.E., see Wengenack, T.M. (767) 128
Owens, C.A., see Kusmirek, J. (767) 375

Pennartz, C.M.A., see De Jeu, M.T.G. (767) 72
Peoples, L.L., see Uzwiak, A.J. (767) 363
Piroli, G., see Grillo, C. (767) 120
Pizzella, V., see Tecchio, F. (767) 100
Pleasure, D., see Yoshioka, A. (767) 333
Pockett, S., see Hochman, S. (767) 214
Poduslo, J.F., see Wengenack, T.M. (767) 128
Preuss, T.M., Stepniewska, I., Jain, N. and Kaas, J.H.
Multiple divisions of macaque precentral motor cortex identified with neurofilament antibody SMI-32 (767) 148
Psylla, M., Günther, I., Antonini, A., Vontobel, P., Reist, H.W., Zollinger, A. and Leenders, K.L.
Cerebral 6-[^{18}F]fluoro-L-DOPA uptake in rhesus monkey: pharmacological influence of aromatic amino acid decarboxylase (AAAD) and catechol-*O*-methyltransferase (COMT) inhibition (767) 45

Quezada, C., see Alcayaga, J. (767) 384

Ragnauth, A., Ruegg, H. and Bodnar, R.J.
Evaluation of opioid receptor subtype antagonist effects in the ventral tegmental area upon food intake under deprivation, glucoprivic and palatable conditions (767) 8
Rakić, L.M., see Redžić, Z.B. (767) 26
Ramirez, J., see Alcayaga, J. (767) 384
Readi, R., see Alcayaga, J. (767) 384
Redžić, Z.B., Segal, M.B., Marković, I.D., Gašić, J.M., Vidović, V. and Rakić, L.M.
The characteristics of basolateral nucleoside transport in the perfused sheep choroid plexus and the effect of nitric oxide inhibition on these processes (767) 26
Reist, H.W., see Psylla, M. (767) 45
Ricaurte, G., see Yuan, J. (767) 172
Richardson, C.M. and Wakerley, J.B.
Glutamate excitation of oxytocin neurones in vitro involves predominantly non-NMDA receptors (767) 158
Romani, G.L., see Tecchio, F. (767) 100
Rosenberg, G.A., see Armao, D. (767) 259
Rossini, P.M., see Tecchio, F. (767) 100
Ruegg, H., see Ragnauth, A. (767) 8
Ruggiero, D.A., see Sica, A.L. (767) 380

Sahel, J., see Heidinger, V. (767) 279
Saito, H., see Saito, T. (767) 388
Saito, T., Zhang, Z.J., Tsuzuki, H., Ohtsubo, T., Yamada, T., Yamamoto, T. and Saito, H.
Expression of P-glycoprotein in inner ear capillary endothelial cells of the guinea pig with special reference to blood–inner ear barrier (767) 388
Saleh, T.M. and Connell, B.J.
Modulation of the cardiac baroreflex following reversible blockade of the parabrachial nucleus in the rat (767) 201
Salinas, P., see Alcayaga, J. (767) 384
Sánchez, C., Velasco, G. and Guzmán, M.
Δ^9-Tetrahydrocannabinol stimulates glucose utilization in C6 glioma cells (767) 64
Sato, K., see Endoh, H. (767) 136
Schramm, J., see Dietrich, D. (767) 220
Segal, M.B., see Redžić, Z.B. (767) 26
Semmler, J.G., Nordstrom, M.A. and Wallace, C.J.
Relationship between motor unit short-term synchronization and common drive in human first dorsal interosseous muscle (767) 314
Seylaz, J., see Bonvento, G. (767) 208
Shimoji, K., see Endoh, H. (767) 136
Sica, A.L., Hundley, B.W., Ruggiero, D.A. and Gootman, P.M.
Emergence of lung-inflation-related sympathetic nerve activity in spinal cord transected neonatal swine (767) 380
Slack, J.R., see King, A.E. (767) 55
Song, D.K., see Suh, H.W. (767) 144
Stepniewska, I., see Preuss, T.M. (767) 148
Suemaru, S., see Takemura, T. (767) 181
Suh, H.W., Song, D.K., Choi, S.R., Huh, S.O. and Kim, Y.H.
Effects of intrathecal injection of nimodipine, ω-conotoxin GVIA, calmidazolium, and KN-62 on the antinociception induced by cold water swimming stress in the mouse (767) 144
Summers, C.H., see Summers, T.R. (767) 272
Summers, T.R., Hunter, A.L. and Summers, C.H.
Female social reproductive roles affect central monoamines (767) 272

Taga, K., see Endoh, H. (767) 136
Tagliente, T.M., Craddock Royal, B., Beasley, J. and Maayani, S.

A modified citrulline assay of NOS activity in rat brain homogenates does not detect direct effects of halothane on the kinetics of NOS activity (767) 393
Takao, T., see Takemura, T. (767) 181
Takashima, S., see Itoh, M. (767) 265
Takemura, T., Makino, S., Takao, T., Asaba, K., Suemaru, S. and Hashimoto, K.
Hypothalamic-pituitary-adrenocortical responses to single vs. repeated endotoxin lipopolysaccharide administration in the rat (767) 181
Tanaka, K., see Itoh, M. (767) 265
Tanaka, M., see Yoshida, M. (767) 356
Tanaka, M., see Yoshino, H. (767) 81
Tecchio, F., Rossini, P.M., Pizzella, V., Cassetta, E. and Romani, G.L.
Spatial properties and interhemispheric differences of the sensory hand cortical representation: a neuromagnetic study (767) 100
Ticku, M.K., see Hu, X.-J. (767) 228
Tomita, M., see Yoshida, M. (767) 356
Touzani, O., Young, A.R., Derlon, J.-M., Baron, J.-C. and MacKenzie, E.T.
Progressive impairment of brain oxidative metabolism reversed by reperfusion following middle cerebral artery occlusion in anaesthetized baboons (767) 17
Tsuzuki, H., see Saito, T. (767) 388
Tzschentke, B., see Basta, D. (767) 361

Uchida, K., see Yoshino, H. (767) 81
Urabe, T., see Yoshino, H. (767) 81
Uzwiak, A.J., Guyette, F.X., West, M.O. and Peoples, L.L.
Neurons in accumbens subterritories of the rat: phasic firing time-locked within seconds of intravenous cocaine self-infusion (767) 363

Vela, J.M., Hidalgo, J., González, B. and Castellano, B.
Induction of metallothionein in astrocytes and microglia in the spinal cord from the myelin-deficient jimpy mouse (767) 345
Velasco, G., see Sánchez, C. (767) 64
Vernon, P.A., see Moffat, S.D. (767) 297
Vidović, V., see Redžić, Z.B. (767) 26
Vigh, S., see Kozicz, T. (767) 109
Vontobel, P., see Psylla, M. (767) 45

Wada, K., see Itoh, M. (767) 265
Wakerley, J.B., see Richardson, C.M. (767) 158
Wallace, C.J., see Semmler, J.G. (767) 314
Wang, X.-s. and Gruenstein, E.I.
Mechanism of synchronized Ca^{2+} oscillations in cortical neurons (767) 239
Wang, Z., Hulihan, T.J. and Insel, T.R.
Sexual and social experience is associated with different patterns of behavior and neural activation in male prairie voles (767) 321
Watanabe, M., see Itoh, M. (767) 265
Watanabe, Y., see Itoh, M. (767) 265
Wengenack, T.M., Curran, G.L., Olson, E.E. and Poduslo, J.F.
Putrescine-modified catalase with preserved enzymatic activity exhibits increased permeability at the blood-nerve and blood-brain barriers (767) 128
West, M.O., see Uzwiak, A.J. (767) 363
Wickett, J.C., see Moffat, S.D. (767) 297

Yamada, T., see Saito, T. (767) 388
Yamakura, T., see Endoh, H. (767) 136
Yamamoto, T., see Saito, T. (767) 388
Yokoo, H., see Yoshida, M. (767) 356
Yoshida, M., Yokoo, H., Nakahara, K., Tomita, M., Hamada, N., Ishikawa, M., Hatakeyama, J., Tanaka, M. and Nagatsu, I.
Local muscimol disinhibits mesolimbic dopaminergic activity as examined by brain microdialysis and Fos immunohistochemistry (767) 356
Yoshino, H., Hattori, N., Urabe, T., Uchida, K., Tanaka, M. and Mizuno, Y.
Postischemic accumulation of lipid peroxidation products in the rat brain: immunohistochemical detection of 4-hydroxy-2-nonenal modified proteins (767) 81
Yoshioka, A., Yudkoff, M. and Pleasure, D.
Expression of glutamic acid decarboxylase during human neuronal differentiation: studies using the NTera-2 culture system (767) 333
Yoshiya, I., see Fukuoka, T. (767) 250
Young, A.R., see Touzani, O. (767) 17
Yu, Y.-H. and Blessing, W.W.
Acute increases in forebrain blood flow during alerting responses in conscious rabbits (767) 1
Yuan, J., McCann, U. and Ricaurte, G.
Methylphenidate and brain dopamine neurotoxicity (767) 172
Yudkoff, M., see Yoshioka, A. (767) 333

Zhang, Z.J., see Saito, T. (767) 388
Zhu, J.J., see Lo, F.-S. (767) 176
Zollinger, A., see Psylla, M. (767) 45